














Misure tecniche Misure in mm - Riserva di modifiche senza preavviso

 <p>LS100 Diritto 950 mm utili</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>950</td> <td>950</td> <td>950</td> </tr> </tbody> </table>	Ø	120	130	150	H	950	950	950	 <p>LS50 Diritto 450 mm utili</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>450</td> <td>450</td> <td>450</td> </tr> </tbody> </table>	Ø	120	130	150	H	450	450	450	 <p>LS25 Diritto 200 mm utili</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>200</td> <td>200</td> <td>200</td> </tr> </tbody> </table>	Ø	120	130	150	H	200	200	200																							
Ø	120	130	150																																														
H	950	950	950																																														
Ø	120	130	150																																														
H	450	450	450																																														
Ø	120	130	150																																														
H	200	200	200																																														
 <p>LSV Elemento con valvola</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>200</td> <td>200</td> <td>200</td> </tr> </tbody> </table>	Ø	120	130	150	H	200	200	200	 <p>LSFF Manicotto femmina-femmina</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>125</td> <td>125</td> <td>125</td> </tr> </tbody> </table>	Ø	120	130	150	H	125	125	125	 <p>LSG90 Gomito a 90°</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>110</td> <td>125</td> <td>125</td> </tr> <tr> <td>Y</td> <td>155</td> <td>175</td> <td>175</td> </tr> </tbody> </table>	Ø	120	130	150	X	110	125	125	Y	155	175	175																			
Ø	120	130	150																																														
H	200	200	200																																														
Ø	120	130	150																																														
H	125	125	125																																														
Ø	120	130	150																																														
X	110	125	125																																														
Y	155	175	175																																														
 <p>LSG45 Gomito a 45°</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>130</td> <td>135</td> <td>145</td> </tr> <tr> <td>D</td> <td>130</td> <td>135</td> <td>145</td> </tr> </tbody> </table>	Ø	120	130	150	A	130	135	145	D	130	135	145	 <p>LSGI90 Gomito a 90° ispezionabile</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>120</td> <td>130</td> <td>140</td> </tr> <tr> <td>Y</td> <td>170</td> <td>180</td> <td>185</td> </tr> </tbody> </table>	Ø	120	130	150	X	120	130	140	Y	170	180	185	 <p>LSRR Raccordo a muro regolabile con innesto M</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>ØA</td> <td>230</td> <td>240</td> <td>260</td> </tr> <tr> <td>h1</td> <td>205</td> <td>205</td> <td>205</td> </tr> <tr> <td>h2</td> <td>35</td> <td>35</td> <td>35</td> </tr> </tbody> </table>	Ø	120	130	150	ØA	230	240	260	h1	205	205	205	h2	35	35	35							
Ø	120	130	150																																														
A	130	135	145																																														
D	130	135	145																																														
Ø	120	130	150																																														
X	120	130	140																																														
Y	170	180	185																																														
Ø	120	130	150																																														
ØA	230	240	260																																														
h1	205	205	205																																														
h2	35	35	35																																														
 <p>LSRT Rosone di copertura</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>ØA</td> <td>124</td> <td>134</td> <td>154</td> </tr> <tr> <td>ØB</td> <td>220</td> <td>230</td> <td>250</td> </tr> </tbody> </table>	Ø	120	130	150	ØA	124	134	154	ØB	220	230	250	 <p>LSCP Collare a parete</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>ØA</td> <td>125</td> <td>135</td> <td>155</td> </tr> <tr> <td>L</td> <td>50</td> <td>50</td> <td>50</td> </tr> <tr> <td>ØV</td> <td>8</td> <td>8</td> <td>8</td> </tr> </tbody> </table>	Ø	120	130	150	ØA	125	135	155	L	50	50	50	ØV	8	8	8	 <p>LSRI Riduzione di diametro Ø A MASCHIO Ø B FEMMINA</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>130/120</th> <th>140/130</th> <th>150/130</th> <th>150/140</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>140</td> <td>140</td> <td>155</td> <td>140</td> </tr> </tbody> </table>	Ø	130/120	140/130	150/130	150/140	H	140	140	155	140	 <p>LSPF Prelievo fumi</p> <table border="1"> <thead> <tr> <th>Ø</th> <th>120</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>200</td> <td>200</td> <td>200</td> </tr> </tbody> </table>	Ø	120	130	150	H	200	200	200
Ø	120	130	150																																														
ØA	124	134	154																																														
ØB	220	230	250																																														
Ø	120	130	150																																														
ØA	125	135	155																																														
L	50	50	50																																														
ØV	8	8	8																																														
Ø	130/120	140/130	150/130	150/140																																													
H	140	140	155	140																																													
Ø	120	130	150																																														
H	200	200	200																																														